Anchor

Lozenge gilet



AnchorCrafts.com

Designed by Dario Tubiana

MANU MALU

Design No.: 0022440-AC50007-AD

nchor

L Cotton 'n' Wool

Mez Needlecraft GmbH, 2023. All Rights Reserved.



Anchor Cotton 'n' Wool 50g art. N° 4670004 - *(colour n°
--

27

HÂM	S 88 cm 52 cm	(M) (93.5cm) (53cm)	L 100cm 54cm	(XL) (106cm) (57cm)	XXL 111cm 59cm	Chest circumference Total length
R	4x	(4x)	4x	(5x)	6x	*00893
	1x	(1x)	1x	(1x)	4x	*00249
	1x	(1x)	1x	(1x)	2x	*00326

2.5mm, 3mm and 3.5mm circular

N° 20

Lozenge gilet

TENSION: 22 sts and 31 row = 10 cm over St st.

ABBREVIATIONS:

St / sts = sticth / stitches
beg = begin / beginning
dec = decrease
St st = stocking stitch
WS = wrong side
RS = right side
k = knit
p = purl
DPN = double pointed needles;
k2tog = knit 2 sts together;
SKP = slip 1 knitwise, k1, pass slip stitch over knit stitch

STITCH PATTERN

Rib 1/1 - Row 1: *k1, p1, *; rep from * to * to end. Rep row 1. Stocking stitch - row 1 (RS): k all sts. Row 2 (WS): p all sts. Stocking stitch and intarsia - Work in St st following the chart. Each square of the chart is 1 st. Use 1 colour for each colour section and cross the 2 colours at every colour change. SKP - slip 1 knitwise, k1, pass slip st over k st.

K2tog - K 2 sts tog.

FRONT

Using colour 00893 and 2,5mm needles cast on 97 (103) 111 (117) 123 sts. Work 1/1 rib st for 5 cm. Change to 3mm needles and beg working **CHART 1** using colour: 00893, 00326.

Shaping the armholes: at 30 (30) 30 (32) 33 cm from cast on edge, beg. shaping the armholes by casting off 5 sts at the beg of next 2 rows. Now dec 1 sts at the beg and end of every other row 9 (11) 12 (13) 14 times. Total sts on the needles after decs: 69 (71) 77 (81) 95 m. Continue working in pattern in St st until armhole measures 13 (13.5) 14.5 (15.5) 16.5 cm from beg of armhole shaping, ending after a WS. **Shaping the neck:** k in pattern 27 (28) 30 (31) 38 sts, cast off 15 (15) 17 (19) 19 sts, pattern to end. Now work separately. Cast off on the RS of the work 3 sts., once; then 2 sts., 3 times, then 1 st., twice. Total sts on the needles for the **shoulder**: 16 (17) 19 (20) 27. Continue working in pattern until armhole measures 22 (23) 24 (25) 26 cm from beg of armhole shaping. Cast off all sts. Work other side to match.

BACK


Work as for the front until you have 69 (71) 77 (81) 95 m. on the needle. Continue working following **CHART 1** until the back measures 52 (53) 54 (57) 59 cm from cast on edge. **Shaping the neck:** Work in pattern 19 (20) 22 (23) 30 sts, cast off 31 (31) 33 (35) 35 sts, work remaining sts. Now work separately. Cast off on RS of the work 3 sts and work in pattern to end. Cast off with RS facing you 16 (17) 19 (20) 27 remaining sts. Work other side to match.


FINISHING

Using a tapestry needle and color 00249 work in duplicate stitch, following the chart n1, the yellow lines that cross the diamonds.

Seam shoulders. **Armholes:** using colour 00893 and 2.5mm circular needles pick up along the armhole 48 (50) 52 (54) 56 sts on the front and 48 (50) 52 (54) 56 on the back. Work in 1/1 rib for 3 cm. Cast off all sts. **Neckline:** using colour 00893 and 2.5mm circular needles pick up along the neckline 40 (40) 42 (44) 46 sts on the back and 64 (64) 66 (68) 70 on the front. Work in 1/1 rib for 2.5 cm. Cast off all sts.

MEASUREMENTS





WASHING ADVICE

• Always wash in as warm a water temperature as possible - up to the temperature recommended, with a short spin. Use a lot of water if hand washing. For darker colours we recommend the use of discolouration sheets.

- Do not bleach.
- Do not tumble dry. Drip-dry on a horizontal surface.
- Iron at a medium temperature using a damp cloth.
- Professional dry cleaning in tetrachloroethylene.

• Do not use optical brighteners (or any detergent containing optical brighteners).

Patterns & Content Copyright © Anchor (MEZ Needlecraft GmbH) All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the permission of the copyright owner. Designs may not be made for reseale. Extracts and image use must be approved with written permission from the copyright owner.

0022440-AC50007-AD

MEZ MEZ Needlecraft GmbH · Hauptstraße 78 · D-79336 Herbolzheim, Germany · AnchorCrafts.com